

## INSTALLATION GUIDE

INTEGRATED INFOTAINMENT TOUCH SCREEN SOLUTION FOR  
FIAT DUCATO SERIES 7 2014 - 2021  
FOR OPEN-DASH MODELS ONLY

PART NUMBER: UN1810E-FT3



## ABOUT THIS PRODUCT

Upgrade your Fiat Ducato's radio with the HEIGH10® 10-inch infotainment system. Retain all OEM features, vehicle settings, and more. All in one easy to install, plug-and-play package.

The HEIGH10® is designed to enhance screen size and infotainment features for drivers which include Apple CarPlay, Android Auto, DAB+, and Bluetooth streaming. Paired with the vehicle retention interface, key vehicle settings will be retained and controlled through the HEIGH10® display by your steering wheel controls.

The components of this kit are compatible for the Fiat Ducato Series 7 2014 - 2021 , with Mopar 250VP1 / VP2 factory head units.

**Please note: Not compatible for models with a amplified systems.**



## CONTENTS

- HEIGH10® unit with fitting accessories and wiring
- Black double DIN fascia plate (with accessories)
- Vehicle retention interface with plug-and-play harness
- Vehicle specific antenna adapter (AM/FM)
- Stinger stereo patch lead
- Instruction manual

## FITTING GUIDE


### WIRING COLOUR CODES

Purple	Right Rear Speaker +	Yellow	Permanent 12V
Purple/Black	Right Rear Speaker -	Black	Ground
Green	Left Rear Speaker +	Red	Ignition 12V
Green/Black	Left Rear Speaker -		
Grey	Right Front Speaker +		
Grey/Black	Right Front Speaker -		
White	Left Front Speaker +		
White/Black	Left Front Speaker -		

### PRIOR TO INSTALLATION

Read the manual prior to installation. Technical knowledge is necessary for installation. The place of installation must be free of moisture and away from heat sources. Please ensure that the correct tools are using during the installation to avoid damage to the vehicle or product. **Connects2 can not be held responsible for the installation of this product.**

Take the HEIGH10® components and begin to assemble the core components in accordance with the "**Installation Manual**" that comes with unit.



## FITTING GUIDE

### FASCIA PLATE SET-UP

1. With the HEIGH10® unit configured correctly, attach the fascia brackets to the relevant sides of the radio module using the screws within the kit. Place into the vehicle and roughly test fit with the fascia to measure whether the brackets need moving forwards/backwards.
2. With the brackets aligned correctly, attach the fascia to the brackets over the top of the unit using the screws that come within in the kit.
3. Once all of the steps in '**Stereo Installation**' are complete, place the assembly into the dashboard and screw down using the pre-existing screws. Then reassemble the main fascia panel.

### INTERFACE SET-UP

1. Take the interface and set the dipswitches accordingly (*note that these are default to off*):

	ON (DOWN)	OFF (UP)
DIPSWITCH 1	Pioneer head units	All other head units <b>(Default)</b>
DIPSWITCH 2	Reverse Camera PAL	Reverse Camera NTSC <b>(Default)</b>
DIPSWITCH 3	Reset factory settings (switch)	Reset factory settings <b>(Default)</b>
DIPSWITCH 4	Not Used	Not Used



2. Take the 14-way connector on the vehicle interface harness and plug this into the relevant connection on the side of the interface.



3. Take the 12-way connector of the stereo patch lead and plug this into the relevant connection on the side of the interface. Then take the 3.5mm jack and attach this to the HEIGH10® unit.
4. Attach the 4-way camera extension harness to the interface.
5. Attach the antenna adapter to the vehicles pre-existing connection and the back of new HEIGH10® unit.
6. Attach the USB retention lead in between the vehicle pre-existing USB connector and the HEIGH10® unit.
7. Connect the male yellow RCA to the 'reverse camera input' on the back of the new stereo.

8. Connect the aftermarket reverse camera (if required) to the female yellow RCA on the camera extension harness.

*Note: ensure the 'Camera Connected' option in the 'Preferences' menu is set to 'Yes' for the camera to function correctly.*

9. Attach the additional wiring on the harness to the back of the stereo:

**Pink** - Speed Pulse **Green** - Park Brake **Purple** - Reverse

10. When all the above wires (and any additional accessories) have been connected, finally make the power connections between the stereo and the vehicles pre-existing connector.

For a full connection breakdown of the HEIGH10® unit, see the "**Installation Manual**" that comes with the unit.

For further help or assistance, please contact and fill out a support ticket with full details of your issue via : **uktechnical@aampglobal.com**

For general enquires, contact us at:

Phone: **01384 958 500**

E-Mail: **stinger.eu@aampglobal.com**

Mon - Fri 9am - 5.30pm GMT

If you would like to download a digital copy of this manual, or any other product, then please visit the **www.Stinger-Electronics-EU.com** website.

This manual is considered correct at the time of printing but is subject to change. For the latest manuals & updates, refer to our website.

*Copyright 2023 by Stinger.*

AGREEMENT: End user agrees to use this product in compliance with the instructions and terms of use and with all laws. STINGER provides instructions and safety warnings with respect to this product and disclaims all liability for any use not in conjunction with those instructions or other misuse of its product. If you do not agree, please discontinue use and contact STINGER. This product is intended for off-road use and passenger use only.